

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Version 6.4 Revision Date 01.12.2021 Print Date 29.12.2021

GENERIC EU MSDS - NO COUNTRY SPECIFIC DATA - NO OEL DATA

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1 Product identifiers

Product name : Ammonium peroxodisulfate EMPLURA®

Product Number : 1.01200
Catalogue No. : 101200
Brand : Millipore
Index-No. : 016-060-00-6

REACH No. : A registration number is not available for this substance as the

substance or its uses are exempted from registration, the annual tonnage does not require a registration or the registration is envisaged for a later registration deadline.

CAS-No. : 7727-54-0

## 1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Materials for use in technical applications

# 1.3 Details of the supplier of the safety data sheet

Company : Merck KGaA

Frankfurter Str. 250 D-64271 DARMSTADT

Telephone : +49 (0)6151 72-0 Fax : +49 6151 727780

E-mail address : TechnicalService@merckgroup.com

1.4 Emergency telephone

Emergency Phone #: +(44)-870-8200418 (CHEMTREC (GB))

+(353)-19014670 (CHEMTREC Ireland) 001-803-017-9114 (CHEMTREC India)

# **SECTION 2: Hazards identification**

### 2.1 Classification of the substance or mixture

### Classification according to Regulation (EC) No 1272/2008

Oxidizing solids (Category 3), H272 Acute toxicity, Oral (Category 4), H302 Skin irritation (Category 2), H315 Eye irritation (Category 2), H319

Respiratory sensitization (Category 1), H334

Skin sensitization (Category 1), H317

Specific target organ toxicity - single exposure (Category 3), Respiratory system, H335

Millipore- 1.01200 Page 1 of 10



For the full text of the H-Statements mentioned in this Section, see Section 16.

### 2.2 Label elements

### Labelling according Regulation (EC) No 1272/2008

Pictogram

Signal word Danger

Hazard statement(s)

H272 May intensify fire; oxidizer.
H302 Harmful if swallowed.
H315 Causes skin irritation.

H317 May cause an allergic skin reaction. H319 Causes serious eye irritation.

H334 May cause allergy or asthma symptoms or breathing difficulties

if inhaled.

H335 May cause respiratory irritation.

Precautionary statement(s)

P210 Keep away from heat, hot surfaces, sparks, open flames and

other ignition sources. No smoking.

P280 Wear protective gloves/ protective clothing/ eye protection/ face

protection/ hearing protection.

P301 + P312 IF SWALLOWED: Call a POISON CENTER/ doctor if you feel

unwell.

P302 + P352 IF ON SKIN: Wash with plenty of water.

P304 + P340 + P312 IF INHALED: Remove person to fresh air and keep comfortable

for breathing. Call a POISON CENTER/ doctor if you feel unwell.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue

rinsing.

Supplemental Hazard

Statements

none

Reduced Labeling (<= 125 ml)

Pictogram



Signal word Danger

Hazard statement(s)

H334 May cause allergy or asthma symptoms or breathing difficulties

if inhaled.

H317 May cause an allergic skin reaction.

Precautionary statement(s)

P302 + P352 IF ON SKIN: Wash with plenty of water.

P304 + P340 + P312 IF INHALED: Remove person to fresh air and keep comfortable

for breathing. Call a POISON CENTER/ doctor if you feel unwell.

Supplemental Hazard

Statements

none

### 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Millipore- 1.01200 Page 2 of 10



# **SECTION 3: Composition/information on ingredients**

### 3.1 Substances

Formula : (NH4)2S2O8 Molecular weight : 228,20 g/mol CAS-No. : 7727-54-0 EC-No. : 231-786-5 Index-No. : 016-060-00-6

Component		Classification	Concentration
Ammonium peroxodisu	lphate		
EC-No. 2	727-54-0 231-786-5 116-060-00-6	Ox. Sol. 3; Acute Tox. 4; Skin Irrit. 2; Eye Irrit. 2; Resp. Sens. 1; Skin Sens. 1; STOT SE 3; H272, H302, H315, H319, H334, H317, H335	<= 100 %

For the full text of the H-Statements mentioned in this Section, see Section 16.

### **SECTION 4: First aid measures**

# 4.1 Description of first-aid measures

#### **General advice**

First aiders need to protect themselves. Show this material safety data sheet to the doctor in attendance.

#### If inhaled

After inhalation: fresh air. Call in physician.

### In case of skin contact

In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/ shower. Consult a physician.

### In case of eye contact

After eye contact: rinse out with plenty of water. Call in ophthalmologist. Remove contact lenses.

### If swallowed

After swallowing: immediately make victim drink water (two glasses at most). Consult a physician.

# 4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

# 4.3 Indication of any immediate medical attention and special treatment needed No data available

Millipore- 1.01200 Page 3 of 10



# **SECTION 5: Firefighting measures**

# 5.1 Extinguishing media

### Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

### Unsuitable extinguishing media

For this substance/mixture no limitations of extinguishing agents are given.

# 5.2 Special hazards arising from the substance or mixture

Nitrogen oxides (NOx)

Sulfur oxides

Not combustible.

Fire may cause evolution of:

Sulfur oxides, nitrogen oxides

Has a fire-promoting effect due to release of oxygen.

Ambient fire may liberate hazardous vapours.

### **5.3** Advice for firefighters

Stay in danger area only with self-contained breathing apparatus. Prevent skin contact by keeping a safe distance or by wearing suitable protective clothing.

### 5.4 Further information

Suppress (knock down) gases/vapors/mists with a water spray jet. Prevent fire extinguishing water from contaminating surface water or the ground water system.

# **SECTION 6: Accidental release measures**

# 6.1 Personal precautions, protective equipment and emergency procedures

Advice for non-emergency personnel: Avoid inhalation of dusts. Avoid substance contact. Ensure adequate ventilation. Evacuate the danger area, observe emergency procedures, consult an expert.

For personal protection see section 8.

#### 6.2 Environmental precautions

Do not let product enter drains.

### 6.3 Methods and materials for containment and cleaning up

Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up carefully. Dispose of properly. Clean up affected area. Avoid generation of dusts.

### 6.4 Reference to other sections

For disposal see section 13.

# **SECTION 7: Handling and storage**

### 7.1 Precautions for safe handling

### Advice on safe handling

Work under hood. Do not inhale substance/mixture.

### Advice on protection against fire and explosion

Keep away from open flames, hot surfaces and sources of ignition.

**Hygiene measures** 

Millipore- 1.01200 Page 4 of 10



Immediately change contaminated clothing. Apply preventive skin protection. Wash hands and face after working with substance.

For precautions see section 2.2.

# 7.2 Conditions for safe storage, including any incompatibilities

### Storage conditions

Keep locked up or in an area accessible only to qualified or authorized persons. Do not store near combustible materials.

Recommended storage temperature see product label.

### Storage class

Storage class (TRGS 510): 5.1B: Oxidizing hazardous materials

### Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

### **SECTION 8: Exposure controls/personal protection**

### 8.1 Control parameters

Ingredients with workplace control parameters

# 8.2 Exposure controls

### Personal protective equipment

# Eye/face protection

Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU). Safety glasses

### Skin protection

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

Full contact

Material: Nitrile rubber

Minimum layer thickness: 0,11 mm Break through time: 480 min

Material tested: KCL 741 Dermatril® L

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell,

Internet: www.kcl.de).

Splash contact

Material: Nitrile rubber

Minimum layer thickness: 0,11 mm Break through time: 480 min

Material tested: KCL 741 Dermatril® L

# **Body Protection**

protective clothing

### Respiratory protection

required when dusts are generated.

Our recommendations on filtering respiratory protection are based on the following standards: DIN EN 143, DIN 14387 and other accompanying standards relating to the used respiratory protection system.

Recommended Filter type: Filter type P2

The entrepeneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer. These measures have to be properly documented.

## Control of environmental exposure

Do not let product enter drains.

### **SECTION 9: Physical and chemical properties**

### 9.1 Information on basic physical and chemical properties

Form: solid a) Appearance

Color: white

b) Odor No data available c) Odor Threshold No data available

1,0 - 2 at 228 g/l at 25 °C d) pH

e) Melting Decomposes before melting.

point/freezing point

Initial boiling point Decomposes below the boiling point.

and boiling range

g) Flash point No data available

h) Evaporation rate No data available Flammability (solid, No data available

gas)

Upper/lower No data available j)

flammability or explosive limits

k) Vapor pressure No data available Vapor density 7,88 - (Air = 1.0)I)

1,980 g/cm3 m) Density

> Relative density No data available

n) Water solubility 228 g/l at 20 °C - completely soluble

o) Partition coefficient: No data available

n-octanol/water

No data available p) Autoignition temperature

Decomposition temperature

No data available

Viscosity, kinematic: No data available Viscosity r)

Millipore- 1.01200 Page 6 of 10



Viscosity, dynamic: No data available

s) Explosive properties No data available

t) Oxidizing properties The substance or mixture is classified as oxidizing with the

category 3.

# 9.2 Other safety information

Bulk density ca.900 kg/m3

Relative vapor

7,88 - (Air = 1.0)

density

# **SECTION 10: Stability and reactivity**

### 10.1 Reactivity

No data available

### 10.2 Chemical stability

The product is chemically stable under standard ambient conditions (room temperature) .

# 10.3 Possibility of hazardous reactions

Risk of explosion with:

Risk of ignition or formation of inflammable gases or vapours with:

Exothermic reaction with:

strong alkalis

bases

combustible substances

Iron

Zinc

hydrogen peroxide

peroxi compounds

Copper

silver compounds

Powdered metals

## 10.4 Conditions to avoid

no information available

### 10.5 Incompatible materials

No data available

### 10.6 Hazardous decomposition products

In the event of fire: see section 5

# **SECTION 11: Toxicological information**

# 11.1 Information on toxicological effects

### **Acute toxicity**

LD50 Oral - Rat - 689 mg/kg Inhalation: No data available

Millipore- 1.01200 Page 7 of 10



LD50 Dermal - Rat - > 2.000 mg/kg

### Skin corrosion/irritation

Skin - Rabbit

Result: No skin irritation

### Serious eye damage/eye irritation

Eyes - Rabbit

Result: No eye irritation

Eyes - Rabbit

Result: Mild eye irritation (OECD Test Guideline 405)

### Respiratory or skin sensitization

- Guinea pig

Result: Causes sensitization. (OECD Test Guideline 406)

### Germ cell mutagenicity

No data available

### Carcinogenicity

No data available

### Reproductive toxicity

No data available

# Specific target organ toxicity - single exposure

May cause respiratory irritation.

# Specific target organ toxicity - repeated exposure

No data available

### **Aspiration hazard**

No data available

### 11.2 Additional Information

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

# **SECTION 12: Ecological information**

### 12.1 Toxicity

Toxicity to fish LC50 - Oncorhynchus mykiss (rainbow trout) - 76 mg/l - 96 h

Toxicity to daphnia and other aquatic invertebrates

EC50 - Daphnia magna (Water flea) - 120 mg/l - 48 h

### 12.2 Persistence and degradability

No data available

### 12.3 Bioaccumulative potential

No data available

# 12.4 Mobility in soil

No data available

# 12.5 Results of PBT and vPvB assessment

Millipore- 1.01200 Page 8 of 10

A

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

### 12.6 Endocrine disrupting properties

No data available

#### 12.7 Other adverse effects

Reacts with water to form toxic decomposition products.

Discharge into the environment must be avoided.

# **SECTION 13: Disposal considerations**

### 13.1 Waste treatment methods

#### **Product**

See www.retrologistik.com for processes regarding the return of chemicals and containers, or contact us there if you have further questions.

# **SECTION 14: Transport information**

### 14.1 UN number

ADR/RID: 1444 IMDG: 1444 IATA: 1444

### 14.2 UN proper shipping name

ADR/RID: AMMONIUM PERSULPHATE IMDG: AMMONIUM PERSULPHATE IATA: Ammonium persulphate

# 14.3 Transport hazard class(es)

ADR/RID: 5.1 IMDG: 5.1 IATA: 5.1

### 14.4 Packaging group

ADR/RID: III IMDG: III IATA: III

### 14.5 Environmental hazards

ADR/RID: no IMDG Marine pollutant: no IATA: no

### 14.6 Special precautions for user

No data available

### **SECTION 15: Regulatory information**

# 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

This material safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006.

### **National legislation**

Seveso III: Directive 2012/18/EU of the European : OXIDISING LIQUIDS AND SOLIDS Parliament and of the Council on the control of major-accident hazards involving dangerous substances.

Millipore- 1.01200 Page 9 of 10



### Other regulations

Observe work restrictions regarding maternity protection in accordance to Dir 92/85/EEC or stricter national regulations where applicable.

Take note of Dir 94/33/EC on the protection of young people at work.

### 15.2 Chemical Safety Assessment

For this product a chemical safety assessment was not carried out

### **SECTION 16: Other information**

#### Full text of H-Statements referred to under sections 2 and 3.

H272	May intensify fire; oxidizer.
H302	Harmful if swallowed.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H334	May cause allergy or asthma symptoms or breathing difficulties if inhaled.
H335	May cause respiratory irritation.

### **Further information**

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

Copyright 2020 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only.

The branding on the header and/or footer of this document may temporarily not visually match the product purchased as we transition our branding. However, all of the information in the document regarding the product remains unchanged and matches the product ordered. For further information please contact mlsbranding@sial.com.

Millipore- 1.01200 Page 10 of 10

