

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Version 6.7 Revision Date 02.07.2024 Print Date 07.07.2024

GENERIC EU MSDS - NO COUNTRY SPECIFIC DATA - NO OEL DATA

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifiers

Product name : Chloramine T trihydrate GR for analysis

ACS, Reag. Ph Eur

Product Number : 1.02426 Catalogue No. : 102426 Brand : Millipore

REACH No. : A registration number is not available for this substance as the

substance or its uses are exempted from registration or the

annual tonnage does not require a registration.

CAS-No. : 7080-50-4

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Reagent for analysis

1.3 Details of the supplier of the safety data sheet

Company : Merck KGaA

Frankfurter Str. 250 D-64271 DARMSTADT

Telephone : +49 (0)6151 72-0 Fax : +49 6151 727780

E-mail address : TechnicalService@merckgroup.com

1.4 Emergency telephone

Emergency Phone # : +(44)-870-8200418 (CHEMTREC (GB))

+(353)-19014670 (CHEMTREC Ireland) 001-803-017-9114 (CHEMTREC India)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Acute toxicity, (Category 4) H302: Harmful if swallowed.

Skin corrosion, (Sub-category H314: Causes severe skin burns and eye

1B) damage.

Millipore- 1.02426 Page 1 of 15



Serious eye damage, (Category

1)

H318: Causes serious eye damage.

Respiratory sensitization,

(Category 1)

H334: May cause allergy or asthma symptoms or breathing difficulties if

inhaled.

2.2 Label elements

Labelling according Regulation (EC) No 1272/2008

Pictogram

Signal Word Danger

Hazard Statements

H302 Harmful if swallowed.

H314 Causes severe skin burns and eye damage.

H334 May cause allergy or asthma symptoms or breathing difficulties

if inhaled.

Precautionary Statements

P260 Do not breathe dust.

P280 Wear protective gloves/ protective clothing/ eye protection/ face

protection.

P301 + P312 IF SWALLOWED: Call a POISON CENTER/ doctor if you feel

unwell.

P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated

clothing. Rinse skin with water.

P304 + P340 + P310 IF INHALED: Remove person to fresh air and keep comfortable

for breathing. Immediately call a POISON CENTER/ doctor.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue

rinsing.

Supplemental Hazard information (EU)

EUH031 Contact with acids liberates toxic gas.

Reduced Labeling (<= 125 ml)

Pictogram

Signal Word Danger

Hazard Statements

H334 May cause allergy or asthma symptoms or breathing difficulties

if inhaled.

H314 Causes severe skin burns and eye damage.

Precautionary Statements

P260 Do not breathe dust.

P280 Wear protective gloves/ protective clothing/ eye protection/ face

protection.

P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated

Millipore- 1.02426 Page 2 of 15



clothing. Rinse skin with water.

P304 + P340 + P310 IF INHALED: Remove person to fresh air and keep comfortable

for breathing. Immediately call a POISON CENTER/ doctor.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue

rinsing.

Supplemental Hazard information (EU)

EUH031 Contact with acids liberates toxic gas.

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information:

The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher. Toxicological information:

The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.1 Substances

Formula : C7H7CINNaO2S · 3H2O

Molecular weight : 281,69 g/mol CAS-No. : 7080-50-4 EC-No. : 615-172-8

Component		Classification	Concentration
Chloramine-T trih	ydrate		
CAS-No. EC-No.	7080-50-4 204-854-7	Acute Tox. 4; Skin Corr. 1B; Eye Dam. 1; Resp. Sens. 1; H302, H314, H318, H334	<= 100 %

For the full text of the H-Statements mentioned in this Section, see Section 16.

SECTION 4: First aid measures

4.1 Description of first-aid measures

General advice

First aiders need to protect themselves. Show this material safety data sheet to the doctor in attendance.

If inhaled

After inhalation: fresh air. Call in physician.

Millipore- 1.02426 Page 3 of 15

M

In case of skin contact

In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/ shower. Call a physician immediately.

In case of eye contact

After eye contact: rinse out with plenty of water. Immediately call in ophthalmologist. Remove contact lenses.

If swallowed

After swallowing: make victim drink water (two glasses at most), avoid vomiting (risk of perforation). Call a physician immediately. Do not attempt to neutralise.

4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

4.3 Indication of any immediate medical attention and special treatment needed

No data available

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Water Foam Carbon dioxide (CO2) Dry powder

Unsuitable extinguishing media

For this substance/mixture no limitations of extinguishing agents are given.

5.2 Special hazards arising from the substance or mixture

Carbon oxides

Nitrogen oxides (NOx)

Sulfur oxides

Hydrogen chloride gas

Sodium oxides

Combustible.

Fire may cause evolution of:

Sulfur oxides, Hydrogen chloride gas, nitrogen oxides

Vapors are heavier than air and may spread along floors.

Forms explosive mixtures with air on intense heating.

Development of hazardous combustion gases or vapours possible in the event of fire.

5.3 Advice for firefighters

Stay in danger area only with self-contained breathing apparatus. Prevent skin contact by keeping a safe distance or by wearing suitable protective clothing.

5.4 Further information

Suppress (knock down) gases/vapors/mists with a water spray jet. Prevent fire extinguishing water from contaminating surface water or the ground water system.

Millipore- 1.02426 Page 4 of 15

M

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Advice for non-emergency personnel: Avoid inhalation of dusts. Avoid substance contact. Ensure adequate ventilation. Evacuate the danger area, observe emergency procedures, consult an expert.

For personal protection see section 8.

6.2 Environmental precautions

Do not let product enter drains.

6.3 Methods and materials for containment and cleaning up

Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up carefully. Dispose of properly. Clean up affected area. Avoid generation of dusts.

6.4 Reference to other sections

For disposal see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling

Work under hood. Do not inhale substance/mixture.

Hygiene measures

Immediately change contaminated clothing. Apply preventive skin protection. Wash hands and face after working with substance.

For precautions see section 2.2.

7.2 Conditions for safe storage, including any incompatibilities

Storage conditions

Tightly closed. Dry. Keep locked up or in an area accessible only to qualified or authorized persons.

Do not store near acids.

Recommended storage temperature see product label.

Storage class

Storage class (TRGS 510): 8A: Combustible, corrosive hazardous materials

7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

Millipore- 1.02426 Page 5 of 15



SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Ingredients with workplace control parameters

8.2 Exposure controls

Personal protective equipment

Eye/face protection

Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU). Tightly fitting safety goggles

Skin protection

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN 16523-1 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

Full contact

Material: Nitrile rubber

Minimum layer thickness: 0,11 mm Break through time: 480 min

Material tested: KCL 741 Dermatril® L

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN 16523-1 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell,

Internet: www.kcl.de).

Splash contact

Material: Nitrile rubber

Minimum layer thickness: 0,11 mm Break through time: 480 min

Material tested: KCL 741 Dermatril® L

Body Protection

protective clothing

Respiratory protection

required when dusts are generated.

Our recommendations on filtering respiratory protection are based on the following standards: DIN EN 143, DIN 14387 and other accompanying standards relating to the used respiratory protection system.

Recommended Filter type: Filter type P2

The entrepeneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer. These measures have to be properly documented.

Control of environmental exposure

Do not let product enter drains.

Millipore- 1.02426 Page 6 of 15

A

SECTION 9: Physical and chemical properties

Information on basic physical and chemical properties

a) Physical state solid

light yellow b) Color

c) Odor No data available

d) Melting Melting point/ range: 167 - 170 °C point/freezing point

e) Initial boiling point

No data available and boiling range

Flammability (solid, No data available f) gas)

Upper/lower g) flammability or explosive limits No data available

h) Flash point 192 °C - closed cup Autoignition No data available temperature

No data available Decomposition j) temperature

k) pH 8,0 - 10,0 at 50 g/l at 20 °C

Viscosity, kinematic: No data available Viscosity Viscosity, dynamic: No data available

m) Water solubility soluble

n) Partition coefficient: No data available

n-octanol/water

o) Vapor pressure No data available No data available p) Density Relative density No data available

q) Relative vapor No data available density

No data available r) Particle characteristics

s) Explosive properties No data available

Oxidizing properties none

9.2 Other safety information

Bulk density 540 - 680 kg/m3

Millipore- 1.02426 Page 7 of 15



SECTION 10: Stability and reactivity

10.1 Reactivity

Forms explosive mixtures with air on intense heating.

A range from approx. 15 Kelvin below the flash point is to be rated as critical.

The following applies in general to flammable organic substances and mixtures: in correspondingly fine distribution, when whirled up a dust explosion potential may generally be assumed.

Contact with acids liberates toxic gas.

10.2 Chemical stability

The product is chemically stable under standard ambient conditions (room temperature) .

10.3 Possibility of hazardous reactions

Generates dangerous gases or fumes in contact with:

Acids

Violent reactions possible with:

Strong oxidizing agents

Generates dangerous gases or fumes in contact with:

Acids

10.4 Conditions to avoid

Strong heating.

10.5 Incompatible materials

No data available

10.6 Hazardous decomposition products

In the event of fire: see section 5

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

LD50 Oral - Rat - male and female - 935 mg/kg

(OECD Test Guideline 401)

Remarks: (anhydrous substance)

The value is given in analogy to the following substances: Chloramine T

Symptoms: If ingested, severe burns of the mouth and throat, as well as a danger of

perforation of the esophagus and the stomach.

LC50 Inhalation - Rat - male and female - 4 h - > 0,275 mg/l - dust/mist

(OECD Test Guideline 403)

Remarks: (anhydrous substance)

The value is given in analogy to the following substances: Chloramine T

Symptoms: mucosal irritations, Cough, Shortness of breath, Possible damages:, damage of

respiratory tract

Dermal: No data available

Millipore- 1.02426 Page 8 of 15



Skin corrosion/irritation

Skin - Rabbit

Result: Causes burns. - 4 h (OECD Test Guideline 404) Remarks: (anhydrous substance)

The value is given in analogy to the following substances: Chloramine T

Serious eye damage/eye irritation

Eyes - Rabbit

Result: Causes serious eye damage. - 72 h

(OECD Test Guideline 405) Remarks: (anhydrous substance)

The value is given in analogy to the following substances: Chloramine T

Remarks: Causes serious eye damage.

Respiratory or skin sensitization

May cause allergy or asthma symptoms or breathing difficulties if inhaled. (ECHA) (anhydrous substance)

Germ cell mutagenicity

Test Type: Ames test

Test system: Escherichia coli/Salmonella typhimurium Metabolic activation: with and without metabolic activation

Method: OECD Test Guideline 471

Result: negative

Remarks: (anhydrous substance)

The value is given in analogy to the following substances: Chloramine TTest Type: In vitro

mammalian cell gene mutation test Test system: mouse lymphoma cells

Metabolic activation: with and without metabolic activation

Method: OECD Test Guideline 476

Result: negative

Remarks: (anhydrous substance)

The value is given in analogy to the following substances: Chloramine T

Test Type: Micronucleus test

Species: Mouse

Cell type: Red blood cells (erythrocytes)

Application Route: Oral

Method: OECD Test Guideline 474

Result: negative

Remarks: (anhydrous substance)

The value is given in analogy to the following substances: Chloramine T

Carcinogenicity

No data available

Reproductive toxicity

No data available

Specific target organ toxicity - single exposure

No data available

Specific target organ toxicity - repeated exposure

No data available

Millipore- 1.02426 Page 9 of 15

Aspiration hazard

No data available

11.2 Additional Information

Endocrine disrupting properties

Product:

Assessment The substance/mixture does not contain

components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Repeated dose toxicity - Rat - male - Oral - 90 Days - NOAEL (No observed adverse effect level) - 214 mg/kg - LOAEL (Lowest observed adverse effect level) - 738 mg/kg

Remarks: (anhydrous substance)

The value is given in analogy to the following substances: Chloramine T

Absorption into the body leads to the formation of methemoglobin which in sufficient concentration causes cyanosis. Onset may be delayed 2 to 4 hours or longer., Cough, Shortness of breath, Headache, Nausea, Vomiting, Repeated exposure may cause asthma. To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

After absorption:

We have no description of any toxic symptoms.

Handle in accordance with good industrial hygiene and safety practice.

SECTION 12: Ecological information

12.1 Toxicity

Toxicity to fish static test LC50 - Oncorhynchus mykiss (rainbow trout) - 100 mg/l -

96 h (US-EPA)

Remarks: (anhydrous substance)

The value is given in analogy to the following substances: Chloramine

Τ

Toxicity to daphnia

and other aquatic invertebrates

EC50 - Daphnia magna (Water flea) - 4,5 mg/l - 48 h

Remarks: (IUCLID)

NOEC - Daphnia magna (Water flea) - 1,1 mg/l - 21 d

(OECD Test Guideline 202)

Toxicity to algae static test ErC50 - Pseudokirchneriella subcapitata (green algae) - 13

mq/l - 96 h

Millipore- 1.02426 Page 10 of 15



(OECD Test Guideline 201) Remarks: (anhydrous substance)

The value is given in analogy to the following substances: Chloramine

Т

Toxicity to bacteria static test EC50 - activated sludge - 37 mg/l - 3 h

(OECD Test Guideline 209) Remarks: (anhydrous substance)

The value is given in analogy to the following substances: Chloramine

Т

Toxicity to flow-through test NOEC - Pimephales promelas (fathead minnow) -

fish(Chronic toxicity) 1,5 mg/l - 35 d

Remarks: (ECHA) (anhydrous substance)

The value is given in analogy to the following substances: Chloramine

flow-through test NOEC - Daphnia magna (Water flea) - 1,1 mg/l -

Т

Toxicity to daphnia

and other aquatic 21 d

invertebrates(Chronic (OECD Test Guideline 211)

toxicity) Remarks: (anhydrous substance)

The value is given in analogy to the following substances: Chloramine

Т

12.2 Persistence and degradability

Biodegradability aerobic - Exposure time 28 d

Result: 92 % - Readily biodegradable.

(OECD Test Guideline 301D) Remarks: (anhydrous substance)

The value is given in analogy to the following substances: Chloramine

Т

12.3 Bioaccumulative potential

Bioaccumulation Oncorhynchus mykiss (rainbow trout) - 1 h

at 11,8 °C - 20 mg/l(Chloramine-T trihydrate)

Bioconcentration factor (BCF): 2,2

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

12.6 Endocrine disrupting properties

Product:

Assessment : The substance/mixture does not contain components

considered to have endocrine disrupting properties

Millipore- 1.02426 Page 11 of 15



according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

12.7 Other adverse effects

Discharge into the environment must be avoided.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

No data available

SECTION 14: Transport information

14.1 UN number

ADR/RID: 3263 IMDG: 3263 IATA: 3263

14.2 UN proper shipping name

ADR/RID: CORROSIVE SOLID, BASIC, ORGANIC, N.O.S. (Chloramine-T trihydrate) IMDG: CORROSIVE SOLID, BASIC, ORGANIC, N.O.S. (Chloramine-T trihydrate)

IATA: Corrosive solid, basic, organic, n.o.s. (Chloramine-T trihydrate)

14.3 Transport hazard class(es)

ADR/RID: 8 IMDG: 8 IATA: 8

14.4 Packaging group

ADR/RID: II IMDG: II IATA: II

14.5 Environmental hazards

ADR/RID: no IMDG Marine pollutant: no IATA: no

14.6 Special precautions for user

Tunnel restriction code : (E)

Further information : No data available

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

This material safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006.

Millipore- 1.02426 Page 12 of 15

A

Other regulations

Observe work restrictions regarding maternity protection in accordance to Dir 92/85/EEC or stricter national regulations where applicable.

Take note of Dir 94/33/EC on the protection of young people at work.

15.2 Chemical Safety Assessment

For this product a chemical safety assessment was not carried out

SECTION 16: Other information

Full text of H-Statements

H302	Harmful if swallowed.
H314	Causes severe skin burns and eye damage.
H318	Causes serious eye damage.
H334	May cause allergy or asthma symptoms or breathing difficulties if inhaled.
EUH031	Contact with acids liberates toxic gas.

Millipore- 1.02426 Page 13 of 15



Full text of other abbreviations

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM -American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS -Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx -Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS -Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Further information

The information is believed to be correct but is not exhaustive and will be used solely as a guideline, which is based on current knowledge of the chemical substance or mixture and is applicable to appropriate safety precautions for the product. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

Copyright 2020 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only.

The branding on the header and/or footer of this document may temporarily not visually match the product purchased as we transition our branding. However, all of the information in the document regarding the product remains unchanged and matches the product ordered. For further information please contact mlsbranding@sial.com.

Millipore- 1.02426 Page 14 of 15

Millipore- 1.02426 Page 15 of 15

