

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Version 6.3 Revision Date 03.08.2021 Print Date 01.06.2022

GENERIC EU MSDS - NO COUNTRY SPECIFIC DATA - NO OEL DATA

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifiers

Product name : Chloramine T trihydrate

Product Number : 402869

Brand : Sigma-Aldrich Index-No. : 616-010-00-9

REACH No. : A registration number is not available for this substance as the

substance or its uses are exempted from registration, the annual tonnage does not require a registration or the registration is envisaged for a later registration deadline.

CAS-No. : 7080-50-4

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Laboratory chemicals, Manufacture of substances

1.3 Details of the supplier of the safety data sheet

Company : Sigma-Aldrich Pte Ltd

(Co. Registration No. 199403788W)

2 Science Park Drive #05-01/12 Ascent Building

SINGAPORE 118222

SINGAPORE

Telephone : +65 6890 6633 Fax : +65 6890 6639

E-mail address : TechnicalService@merckgroup.com

1.4 Emergency telephone

Emergency Phone # : 1-800-262-8200

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008

Acute toxicity, Oral (Category 4), H302 Skin corrosion (Sub-category 1B), H314 Serious eye damage (Category 1), H318 Respiratory sensitization (Category 1), H334

For the full text of the H-Statements mentioned in this Section, see Section 16.

A

2.2 Label elements

Labelling according Regulation (EC) No 1272/2008

Pictogram

Signal word Danger

Hazard statement(s)

H302 Harmful if swallowed.

H314 Causes severe skin burns and eye damage.

H334 May cause allergy or asthma symptoms or breathing difficulties

if inhaled.

Precautionary statement(s)

P260 Do not breathe dusts or mists.

P280 Wear protective gloves/ protective clothing/ eye protection/ face

protection/ hearing protection.

P301 + P312 IF SWALLOWED: Call a POISON CENTER/ doctor if you feel

unwell.

P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated

clothing. Rinse skin with water.

P304 + P340 + P310 IF INHALED: Remove person to fresh air and keep comfortable

for breathing. Immediately call a POISON CENTER/ doctor.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue

rinsing.

Supplemental Hazard information (EU)

EUH031 Contact with acids liberates toxic gas.

Reduced Labeling (<= 125 ml)

Pictogram



Signal word Danger

Hazard statement(s)

H334 May cause allergy or asthma symptoms or breathing difficulties

if inhaled.

H314 Causes severe skin burns and eye damage.

Precautionary statement(s)

P260 Do not breathe dusts or mists.

P280 Wear protective gloves/ protective clothing/ eye protection/ face

protection/ hearing protection.

P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated

clothing. Rinse skin with water.

P304 + P340 + P310 IF INHALED: Remove person to fresh air and keep comfortable

for breathing. Immediately call a POISON CENTER/ doctor.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue

rinsing.

Supplemental Hazard information (EU)

EUH031 Contact with acids liberates toxic gas.

A

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.1 Substances

Synonyms : N-Chloro-p-toluenesulfonamidesodium salt

Formula : $C_7H_7CINNaO_2S \cdot 3H_2O$

Molecular weight : 281,69 g/mol CAS-No. : 7080-50-4 EC-No. : 204-854-7 Index-No. : 616-010-00-9

Component		Classification	Concentration
Chloramine-T trihydrate			
CAS-No.	7080-50-4	Acute Tox. 4; Skin Corr.	<= 100 %
EC-No.	615-172-8	1B; Eye Dam. 1; Resp.	
		Sens. 1; H302, H314,	
		H318, H334	

For the full text of the H-Statements mentioned in this Section, see Section 16.

SECTION 4: First aid measures

4.1 Description of first-aid measures

General advice

First aiders need to protect themselves. Show this material safety data sheet to the doctor in attendance.

If inhaled

After inhalation: fresh air. Call in physician.

In case of skin contact

In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/ shower. Call a physician immediately.

In case of eye contact

After eye contact: rinse out with plenty of water. Immediately call in ophthalmologist. Remove contact lenses.

If swallowed

After swallowing: make victim drink water (two glasses at most), avoid vomiting (risk of perforation). Call a physician immediately. Do not attempt to neutralise.

4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

4.3 Indication of any immediate medical attention and special treatment needed No data available

A

Sigma-Aldrich- 402869 Page 3 of 11

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing media

For this substance/mixture no limitations of extinguishing agents are given.

5.2 Special hazards arising from the substance or mixture

Carbon oxides

Nitrogen oxides (NOx)

Sulfur oxides

Hydrogen chloride gas

Sodium oxides

Not combustible.

Vapors are heavier than air and may spread along floors.

Forms explosive mixtures with air on intense heating.

Ambient fire may liberate hazardous vapours.

5.3 Advice for firefighters

Stay in danger area only with self-contained breathing apparatus. Prevent skin contact by keeping a safe distance or by wearing suitable protective clothing.

5.4 Further information

Suppress (knock down) gases/vapors/mists with a water spray jet. Prevent fire extinguishing water from contaminating surface water or the ground water system.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Advice for non-emergency personnel: Avoid inhalation of dusts. Avoid substance contact. Ensure adequate ventilation. Evacuate the danger area, observe emergency procedures, consult an expert.

For personal protection see section 8.

6.2 Environmental precautions

Do not let product enter drains.

6.3 Methods and materials for containment and cleaning up

Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up carefully. Dispose of properly. Clean up affected area. Avoid generation of dusts.

6.4 Reference to other sections

For disposal see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling

Work under hood. Do not inhale substance/mixture.

Hygiene measures

A

Sigma-Aldrich- 402869 Page 4 of 11

Immediately change contaminated clothing. Apply preventive skin protection. Wash hands and face after working with substance.

For precautions see section 2.2.

7.2 Conditions for safe storage, including any incompatibilities

Storage conditions

Tightly closed. Dry. Keep locked up or in an area accessible only to qualified or authorized persons.

Do not store near acids.

Store under inert gas. Air sensitive.

Storage class

Storage class (TRGS 510): 8A: Combustible, corrosive hazardous materials

7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Ingredients with workplace control parameters

8.2 Exposure controls

Personal protective equipment

Eye/face protection

Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU). Tightly fitting safety goggles

Skin protection

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

Full contact

Material: Nitrile rubber

Minimum layer thickness: 0,11 mm

Break through time: 480 min

Material tested: KCL 741 Dermatril® L

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell,

Internet: www.kcl.de).

Splash contact

Sigma-Aldrich- 402869

Material: Nitrile rubber

Minimum layer thickness: 0,11 mm Break through time: 480 min

Material tested: KCL 741 Dermatril® L



Page 5 of 11

Body Protection

protective clothing

Respiratory protection

required when dusts are generated.

Our recommendations on filtering respiratory protection are based on the following standards: DIN EN 143, DIN 14387 and other accompanying standards relating to the used respiratory protection system.

Recommended Filter type: Filter type P2

The entrepeneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer. These measures have to be properly documented.

Control of environmental exposure

Do not let product enter drains.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

a) Appearance Form: powder

Color: off-white

b) Odorc) Odor Thresholddata availableNo data available

0.0 40.0 4.50 (1.4.2)

d) pH 8,0 - 10,0 at 50 g/l at 20 °C

e) Melting point/range: 167 - 170 °C

point/freezing point

f) Initial boiling point No data available

and boiling range

g) Flash point 192 °C - closed cup h) Evaporation rate No data available

i) Flammability (solid, No data available

gas)

j) Upper/lower No data available

flammability or explosive limits

k) Vapor pressure No data available

I) Vapor density No data available

m) Density No data available Relative density No data available

n) Water solubility soluble

o) Partition coefficient: No data available

n-octanol/water

p) Autoignition No data available temperature

g) Decomposition No data available

Sigma-Aldrich- 402869 Page 6 of 11



temperature

r) Viscosity Viscosity, kinematic: No data available

Viscosity, dynamic: No data available

s) Explosive properties No data available

t) Oxidizing properties none

9.2 Other safety information

No data available

SECTION 10: Stability and reactivity

10.1 Reactivity

Forms explosive mixtures with air on intense heating.

A range from approx. 15 Kelvin below the flash point is to be rated as critical.

Contact with acids liberates toxic gas.

10.2 Chemical stability

The product is chemically stable under standard ambient conditions (room temperature) .

10.3 Possibility of hazardous reactions

Generates dangerous gases or fumes in contact with:

Acids

10.4 Conditions to avoid

Strong heating.

10.5 Incompatible materials

Do not store near acids., Strong oxidizing agents, Ammonia

10.6 Hazardous decomposition products

In the event of fire: see section 5

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

LD50 Oral - Rat - male and female - 935 mg/kg

(OECD Test Guideline 401)

Remarks: (anhydrous substance)

The value is given in analogy to the following substances: Chloramine T

Symptoms: If ingested, severe burns of the mouth and throat, as well as a danger of

perforation of the esophagus and the stomach.

LC50 Inhalation - Rat - male and female - 4 h - > 0,275 mg/l

(OECD Test Guideline 403)

Remarks: (anhydrous substance)

The value is given in analogy to the following substances: Chloramine T

Symptoms: mucosal irritations, Cough, Shortness of breath, Possible damages:, damage of

respiratory tract

Dermal: No data available

Skin corrosion/irritation

Skin - Rabbit

Result: Causes burns. - 4 h

The second second

Sigma-Aldrich- 402869 Page 7 of 11

(OECD Test Guideline 404) Remarks: (anhydrous substance)

The value is given in analogy to the following substances: Chloramine T

Serious eye damage/eye irritation

Eyes - Rabbit

Result: Causes serious eye damage. - 72 h

(OECD Test Guideline 405) Remarks: (anhydrous substance)

The value is given in analogy to the following substances: Chloramine T

Causes serious eye damage.

Respiratory or skin sensitization

May cause allergy or asthma symptoms or breathing difficulties if inhaled. (ECHA) (anhydrous substance)

Germ cell mutagenicity

Test Type: Ames test

Test system: Escherichia coli/Salmonella typhimurium Metabolic activation: with and without metabolic activation

Method: OECD Test Guideline 471

Result: negative

Remarks: (anhydrous substance)

The value is given in analogy to the following substances: Chloramine TTest Type: In vitro

mammalian cell gene mutation test Test system: mouse lymphoma cells

Metabolic activation: with and without metabolic activation

Method: OECD Test Guideline 476

Result: negative

Remarks: (anhydrous substance)

The value is given in analogy to the following substances: Chloramine T

Test Type: Micronucleus test

Species: Mouse

Cell type: Red blood cells (erythrocytes)

Application Route: Oral

Method: OECD Test Guideline 474

Result: negative

Remarks: (anhydrous substance)

The value is given in analogy to the following substances: Chloramine T

Carcinogenicity

No data available

Reproductive toxicity

No data available

Specific target organ toxicity - single exposure

No data available

Specific target organ toxicity - repeated exposure

No data available

Aspiration hazard

No data available

11.2 Additional Information

Repeated dose toxicity - Rat - male - Oral - 90 Days - NOAEL (No observed adverse effect level) - 214 mg/kg - LOAEL (Lowest observed adverse effect level) - 738 mg/kg

Sigma-Aldrich- 402869 Page 8 of 11



Remarks: (anhydrous substance)

The value is given in analogy to the following substances: Chloramine T

Absorption into the body leads to the formation of methemoglobin which in sufficient concentration causes cyanosis. Onset may be delayed 2 to 4 hours or longer., Cough, Shortness of breath, Headache, Nausea, Vomiting, Repeated exposure may cause asthma. To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

After absorption:

We have no description of any toxic symptoms.

Handle in accordance with good industrial hygiene and safety practice.

SECTION 12: Ecological information

12.1 Toxicity

Toxicity to fish static test LC50 - Oncorhynchus mykiss (rainbow trout) - 100 mg/l -

96 h (US-EPA)

Remarks: (anhydrous substance)

The value is given in analogy to the following substances: Chloramine

Τ

Toxicity to daphnia and other aquatic invertebrates

EC50 - Daphnia magna (Water flea) - 4,5 mg/l - 48 h

Remarks: (IUCLID)

NOEC - Daphnia magna (Water flea) - 1,1 mg/l - 21 d

(OECD Test Guideline 202)

Toxicity to algae static test ErC50 - Pseudokirchneriella subcapitata (green algae) - 13

mg/l - 96 h

(OECD Test Guideline 201) Remarks: (anhydrous substance)

The value is given in analogy to the following substances: Chloramine

Т

Toxicity to bacteria static test EC50 - activated sludge - 37 mg/l - 3 h

(OECD Test Guideline 209)

Remarks: (anhydrous substance)

The value is given in analogy to the following substances: Chloramine

Т

12.2 Persistence and degradability

Biodegradability aerobic - Exposure time 28 d

Result: 92 % - Readily biodegradable.

(OECD Test Guideline 301D) Remarks: (anhydrous substance)

The value is given in analogy to the following substances: Chloramine

Sigma-Aldrich- 402869 Page 9 of 11



12.3 Bioaccumulative potential

Bioaccumulation Oncorhynchus mykiss (rainbow trout) - 1 h

at 11,8 °C - 20 mg/l(Chloramine-T trihydrate)

Bioconcentration factor (BCF): 2,2

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

12.6 Other adverse effects

Discharge into the environment must be avoided.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product

See www.retrologistik.com for processes regarding the return of chemicals and containers, or contact us there if you have further questions.

SECTION 14: Transport information

14.1 UN number

ADR/RID: 3263 IMDG: 3263 IATA: 3263

14.2 UN proper shipping name

ADR/RID: CORROSIVE SOLID, BASIC, ORGANIC, N.O.S. (Chloramine-T trihydrate) IMDG: CORROSIVE SOLID, BASIC, ORGANIC, N.O.S. (Chloramine-T trihydrate)

IATA: Corrosive solid, basic, organic, n.o.s. (Chloramine-T trihydrate)

14.3 Transport hazard class(es)

ADR/RID: 8 IMDG: 8 IATA: 8

14.4 Packaging group

ADR/RID: II IMDG: II IATA: II

14.5 Environmental hazards

ADR/RID: no IMDG Marine pollutant: no IATA: no

14.6 Special precautions for user

No data available

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

This material safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006.

Sigma-Aldrich- 402869 Page 10 of 11



Other regulations

Observe work restrictions regarding maternity protection in accordance to Dir 92/85/EEC or stricter national regulations where applicable.

Take note of Dir 94/33/EC on the protection of young people at work.

15.2 Chemical Safety Assessment

For this product a chemical safety assessment was not carried out

SECTION 16: Other information

Full text of H-Statements referred to under sections 2 and 3.

EUH031	Contact with acids liberates toxic gas.
H302	Harmful if swallowed.
H314	Causes severe skin hurns and eve damage

H314 Causes severe skin burns and eye damage.

H318 Causes serious eye damage.

H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.

Further information

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

Copyright 2020 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only.

The branding on the header and/or footer of this document may temporarily not visually match the product purchased as we transition our branding. However, all of the information in the document regarding the product remains unchanged and matches the product ordered. For further information please contact mlsbranding@sial.com.



