

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Version 8.0 Revision Date 13.12.2021 Print Date 28.09.2022

# GENERIC EU MSDS - NO COUNTRY SPECIFIC DATA - NO OEL DATA

#### 1.1 Product identifiers

Product name : Silver nitrate

Product Number : 209139 Brand : SIGALD

Index-No. : 047-001-00-2

REACH No. : 01-2119513705-43-XXXX

CAS-No. : 7761-88-8

# 1.2 Relevant identified uses of the substance or mixture and uses advised against

SECTION 1: Identification of the substance/mixture and of the company/undertaking

Identified uses : Laboratory chemicals, Manufacture of substances

#### 1.3 Details of the supplier of the safety data sheet

Company : Sigma-Aldrich Pte Ltd

(Co. Registration No. 199403788W)

2 Science Park Drive #05-01/12 Ascent Building

SINGAPORE 118222

**SINGAPORE** 

Telephone : +65 6890 6633 Fax : +65 6890 6639

E-mail address : TechnicalService@merckgroup.com

#### 1.4 Emergency telephone

Emergency Phone # : 1-800-262-8200

#### **SECTION 2: Hazards identification**

#### 2.1 Classification of the substance or mixture

#### Classification according to Regulation (EC) No 1272/2008

Oxidizing solids (Category 2), H272

Corrosive to Metals (Category 1), H290

Skin corrosion (Sub-category 1B), H314

Serious eye damage (Category 1), H318

Short-term (acute) aquatic hazard (Category 1), H400 Long-term (chronic) aquatic hazard (Category 1), H410

For the full text of the H-Statements mentioned in this Section, see Section 16.

A

#### 2.2 Label elements

### Labelling according Regulation (EC) No 1272/2008

Pictogram

Signal word Danger

Hazard statement(s)

H272 May intensify fire; oxidizer. H290 May be corrosive to metals.

H314 Causes severe skin burns and eye damage.
H410 Very toxic to aquatic life with long lasting effects.

Precautionary statement(s)

P210 Keep away from heat, hot surfaces, sparks, open flames and

other ignition sources. No smoking.

P260 Do not breathe dusts or mists.
P273 Avoid release to the environment.

P280 Wear protective gloves/ protective clothing/ eye protection/ face

protection/ hearing protection.

P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated

clothing. Rinse skin with water.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue

rinsing.

Supplemental Hazard

Statements

none

Reduced Labeling (<= 125 ml)

Pictogram

Signal word Danger

Hazard statement(s)

H314 Causes severe skin burns and eye damage.

Precautionary statement(s)

P260 Do not breathe dusts or mists.

P280 Wear protective gloves/ protective clothing/ eye protection/ face

protection/ hearing protection.

P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated

clothing. Rinse skin with water.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue

rinsing.

Supplemental Hazard

Statements

none

#### 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

SIGALD- 209139 Page 2 of 10

#### **SECTION 3: Composition/information on ingredients**

#### 3.1 Substances

Formula : AgNO<sub>3</sub>

Molecular weight : 169.87 g/mol
CAS-No. : 7761-88-8
EC-No. : 231-853-9
Index-No. : 047-001-00-2

Component		Classification	Concentration
Silver nitrate			
CAS-No. EC-No. Index-No.	7761-88-8 231-853-9 047-001-00-2	Ox. Sol. 2; Met. Corr. 1; Skin Corr. 1B; Eye Dam. 1; Aquatic Acute 1; Aquatic Chronic 1; H272, H290, H314, H318, H400, H410 Concentration limits: >= 1 %: Met. Corr. 1, H290; M-Factor - Aquatic Acute: 1,000 - Aquatic Chronic: 100	<= 100 %

For the full text of the H-Statements mentioned in this Section, see Section 16.

# **SECTION 4: First aid measures**

#### 4.1 Description of first-aid measures

#### **General advice**

First aiders need to protect themselves. Show this material safety data sheet to the doctor in attendance.

#### If inhaled

After inhalation: fresh air. Call in physician.

#### In case of skin contact

In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/ shower. Call a physician immediately.

#### In case of eye contact

After eye contact: rinse out with plenty of water. Immediately call in ophthalmologist. Remove contact lenses.

#### If swallowed

After swallowing: make victim drink water (two glasses at most), avoid vomiting (risk of perforation). Call a physician immediately. Do not attempt to neutralise.

#### 4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

# 4.3 Indication of any immediate medical attention and special treatment needed No data available

A

SIGALD- 209139 Page 3 of 10

#### **SECTION 5: Firefighting measures**

#### 5.1 Extinguishing media

#### Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

#### Unsuitable extinguishing media

For this substance/mixture no limitations of extinguishing agents are given.

#### 5.2 Special hazards arising from the substance or mixture

Nitrogen oxides (NOx)

Silver/silver oxides

Container explosion may occur under fire conditions.

Not combustible.

Has a fire-promoting effect due to release of oxygen.

Ambient fire may liberate hazardous vapours.

#### 5.3 Advice for firefighters

Stay in danger area only with self-contained breathing apparatus. Prevent skin contact by keeping a safe distance or by wearing suitable protective clothing.

#### 5.4 Further information

Suppress (knock down) gases/vapors/mists with a water spray jet. Prevent fire extinguishing water from contaminating surface water or the ground water system.

#### **SECTION 6: Accidental release measures**

#### 6.1 Personal precautions, protective equipment and emergency procedures

Advice for non-emergency personnel: Avoid inhalation of dusts. Avoid substance contact. Ensure adequate ventilation. Evacuate the danger area, observe emergency procedures, consult an expert.

For personal protection see section 8.

#### 6.2 Environmental precautions

Do not let product enter drains.

# 6.3 Methods and materials for containment and cleaning up

Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up dry. Dispose of properly. Clean up affected area. Avoid generation of dusts.

#### 6.4 Reference to other sections

For disposal see section 13.

#### **SECTION 7: Handling and storage**

#### 7.1 Precautions for safe handling

#### Advice on protection against fire and explosion

Keep away from open flames, hot surfaces and sources of ignition.

#### **Hygiene measures**

Immediately change contaminated clothing. Apply preventive skin protection. Wash hands and face after working with substance.

For precautions see section 2.2.

A

SIGALD- 209139 Page 4 of 10

#### 7.2 Conditions for safe storage, including any incompatibilities

#### Storage conditions

No metal containers.

Tightly closed. Do not store near combustible materials.

Light sensitive.

#### Storage class

Storage class (TRGS 510): 5.1B: Oxidizing hazardous materials

#### 7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

#### SECTION 8: Exposure controls/personal protection

#### **Control parameters** 8.1

Ingredients with workplace control parameters

# 8.2 Exposure controls

Personal protective equipment

#### Eye/face protection

Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU). Tightly fitting safety goggles

#### Skin protection

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

Full contact

Material: Nitrile rubber

Minimum layer thickness: 0.11 mm Break through time: 480 min

Material tested: KCL 741 Dermatril® L

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell,

Internet: www.kcl.de).

Splash contact

Material: Nitrile rubber

Minimum layer thickness: 0.11 mm Break through time: 480 min

Material tested: KCL 741 Dermatril® L

#### **Body Protection**

protective clothing

#### **Respiratory protection**

required when dusts are generated.

SIGALD- 209139 Page 5 of 10 Our recommendations on filtering respiratory protection are based on the following standards: DIN EN 143, DIN 14387 and other accompanying standards relating to the used respiratory protection system.

Recommended Filter type: Filter type P2

The entrepeneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer. These measures have to be properly documented.

#### Control of environmental exposure

Do not let product enter drains.

# **SECTION 9: Physical and chemical properties**

# Information on basic physical and chemical properties

Form: solid a) Appearance

Color: colorless

b) Odor odorless

c) Odor Threshold Not applicable d) pH No data available

Melting point/range: 212 °C - dec. e) Melting

point/freezing point

Initial boiling point 440 °C - Decomposes on heating. and boiling range

q) Flash point Not applicable h) Evaporation rate No data available

Flammability (solid, The product is not flammable. i)

gas)

Upper/lower No data available j) flammability or explosive limits

k) Vapor pressure No data available No data available Vapor density 4.350 g/cm3 m) Density

Relative density No data available n) Water solubility No data available

o) Partition coefficient: log Pow: 5

n-octanol/water

p) Autoignition No data available temperature

No data available Decomposition temperature

Viscosity, kinematic: No data available Viscosity r) Viscosity, dynamic: No data available

Explosive properties No data available

SIGALD- 209139 Page 6 of 10



t) Oxidizing properties The substance or mixture is classified as oxidizing with the category 2.

### 9.2 Other safety information

No data available

#### **SECTION 10: Stability and reactivity**

#### 10.1 Reactivity

No data available

#### 10.2 Chemical stability

The product is chemically stable under standard ambient conditions (room temperature) . Decomposes on exposure to light.

#### 10.3 Possibility of hazardous reactions

No data available

#### 10.4 Conditions to avoid

Light.

no information available

#### 10.5 Incompatible materials

Aluminum, Mild steelMetals

#### 10.6 Hazardous decomposition products

In the event of fire: see section 5

#### **SECTION 11: Toxicological information**

#### 11.1 Information on toxicological effects

#### **Acute toxicity**

LD50 Oral - Rat - male and female - 3,804 mg/kg

(OECD Test Guideline 401)

LC50 Inhalation - Rat - male and female - 4 h - > 0.075 mg/l - aerosol

(OECD Test Guideline 403)

LD50 Dermal - Rat - male and female - > 2,000 mg/kg

(OECD Test Guideline 402)

#### Skin corrosion/irritation

Skin - reconstructed human epidermis (RhE)

Result: Corrosive - 3 - 60 min (OECD Test Guideline 431)

(Regulation (EC) No 1272/2008, Annex VI)

#### Serious eye damage/eye irritation

Causes serious eye damage. Risk of permanent damage due to staining of the cornea.

#### Respiratory or skin sensitization

No data available

#### Germ cell mutagenicity

Test Type: Micronucleus test Test system: Human lymphocytes

Metabolic activation: with and without metabolic activation

Method: OECD Test Guideline 487

SIGALD- 209139 Page 7 of 10



Result: negative

Test Type: In vitro mammalian cell gene mutation test

Test system: mouse lymphoma cells

Metabolic activation: with and without metabolic activation

Method: OECD Test Guideline 476

Result: Positive results were obtained in some in vitro tests.

# Carcinogenicity

No data available

# Reproductive toxicity

No data available

#### Specific target organ toxicity - single exposure

No data available

#### Specific target organ toxicity - repeated exposure

No data available

#### **Aspiration hazard**

No data available

#### 11.2 Additional Information

#### **Endocrine disrupting properties**

#### **Product:**

Assessment The substance/mixture does not contain

> components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Repeated dose toxicity - Rat - male and female - Oral - 52 Days - NOAEL (No observed adverse effect level) - >= 250 mg/kg

RTECS: VW4725000

May cause argyria (a slate-gray or bluish discoloration of the skin and deep tissues due to the deposit of insoluble albuminate of silver)., Absorption into the body leads to the formation of methemoglobin which in sufficient concentration causes cyanosis. Onset may be delayed 2 to 4 hours or longer.

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

#### **SECTION 12: Ecological information**

#### 12.1 Toxicity

SIGALD- 209139

Toxicity to fish semi-static test LC50 - Pimephales promelas (fathead minnow) -

0.0012 mg/l - 96 h

(US-EPA)

Toxicity to daphnia

semi-static test LC50 - Daphnia magna (Water flea) - 0.00022 mg/l

and other aquatic

- 48 h

Remarks: (ECHA) invertebrates



Page 8 of 10

### 12.2 Persistence and degradability

The methods for determining the biological degradability are not applicable to inorganic substances.

#### 12.3 Bioaccumulative potential

Bioaccumulation Cyprinus carpio (Carp) - 41 d

at 20 °C(Silver nitrate)

Bioconcentration factor (BCF): 70

#### 12.4 Mobility in soil

No data available

#### 12.5 Results of PBT and vPvB assessment

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

### 12.6 Endocrine disrupting properties

#### **Product:**

Assessment : The substance/mixture does not contain components

considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

#### 12.7 Other adverse effects

No data available

#### **SECTION 13: Disposal considerations**

#### 13.1 Waste treatment methods

#### Product

See www.retrologistik.com for processes regarding the return of chemicals and containers, or contact us there if you have further questions.

#### **SECTION 14: Transport information**

#### 14.1 UN number

ADR/RID: 1493 IMDG: 1493 IATA: 1493

#### 14.2 UN proper shipping name

ADR/RID: SILVER NITRATE IMDG: SILVER NITRATE IATA: Silver nitrate

#### 14.3 Transport hazard class(es)

ADR/RID: 5.1 IMDG: 5.1 IATA: 5.1

# 14.4 Packaging group

ADR/RID: II IMDG: II IATA: II

#### 14.5 Environmental hazards

ADR/RID: yes IMDG Marine pollutant: yes IATA: no

SIGALD- 209139 Page 9 of 10



#### 14.6 Special precautions for user

No data available

#### **SECTION 15: Regulatory information**

# 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

This material safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006.

#### **National legislation**

Seveso III: Directive 2012/18/EU of the European : OXIDISING LIQUIDS AND SOLIDS Parliament and of the Council on the control of major-accident hazards involving dangerous substances.

: ENVIRONMENTAL HAZARDS

: OXIDISING LIQUIDS AND SOLIDS

: ENVIRONMENTAL HAZARDS

#### Other regulations

Take note of Dir 94/33/EC on the protection of young people at work.

#### 15.2 Chemical Safety Assessment

For this product a chemical safety assessment was not carried out

#### **SECTION 16: Other information**

#### Full text of H-Statements referred to under sections 2 and 3.

H272	May intensify fire; oxidizer.	
H290	May be corrosive to metals.	
H314	Causes severe skin burns and eye damage.	
H318	Causes serious eye damage.	
H400	Very toxic to aquatic life.	
H410	Very toxic to aquatic life with long lasting effects.	

#### **Further information**

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

Copyright 2020 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only.

The branding on the header and/or footer of this document may temporarily not visually match the product purchased as we transition our branding. However, all of the information in the document regarding the product remains unchanged and matches the product ordered. For further information please contact mlsbranding@sial.com.

SIGALD- 209139 Page 10 of 10

