

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Version 6.14 Revision Date 06.02.2024 Print Date 08.02.2024

GENERIC EU MSDS - NO COUNTRY SPECIFIC DATA - NO OEL DATA

#### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifiers

Product name : Sodium hydroxide solution c(NaOH) = 1 mol/l

(1 N) Titripur® Reag. Ph Eur, Reag. USP

Product Number : 1.09137 Catalogue No. : 109137 Brand : Millipore

UFI : 6QQX-855Q-X99P-WAHM

REACH No. : This product is a mixture. REACH Registration Number see

section 3.

CAS-No. : 1310-73-2

# 1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Reagent for analysis

## 1.3 Details of the supplier of the safety data sheet

Company : Merck KGaA

Frankfurter Str. 250 D-64271 DARMSTADT

Telephone : +49 (0)6151 72-0 Fax : +49 6151 727780

E-mail address : TechnicalService@merckgroup.com

# 1.4 Emergency telephone

Emergency Phone # : +(44)-870-8200418 (CHEMTREC (GB))

+(353)-19014670 (CHEMTREC Ireland) 001-803-017-9114 (CHEMTREC India)

## **SECTION 2: Hazards identification**

#### 2.1 Classification of the substance or mixture

Corrosive to Metals, (Category 1) H290: May be corrosive to metals.

Skin corrosion, (Sub-category H314: Causes severe skin burns and eye

1B) damage.

Millipore- 1.09137 Page 1 of 13



H318: Causes serious eye damage.

#### 2.2 Label elements

# Labelling according Regulation (EC) No 1272/2008

Pictogram

Signal Word Danger

Hazard Statements

H290 May be corrosive to metals.

H314 Causes severe skin burns and eye damage.

Precautionary Statements

P234 Keep only in original packaging.

P280 Wear protective gloves/ protective clothing/ eye protection/ face

protection.

P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated

clothing. Rinse skin with water.

P304 + P340 + P310 IF INHALED: Remove person to fresh air and keep comfortable

for breathing. Immediately call a POISON CENTER/ doctor.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue

rinsing.

P363 Wash contaminated clothing before reuse.

Supplemental Hazard

Statements

none

#### Reduced Labeling (<= 125 ml)

Pictogram

T.

Signal Word Danger

**Hazard Statements** 

H314 Causes severe skin burns and eye damage.

**Precautionary Statements** 

P280 Wear protective gloves/ protective clothing/ eye protection/ face

protection.

P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated

clothing. Rinse skin with water.

P304 + P340 + P310 IF INHALED: Remove person to fresh air and keep comfortable

for breathing. Immediately call a POISON CENTER/ doctor.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue

rinsing.

P363 Wash contaminated clothing before reuse.

Supplemental Hazard none

Statements

Millipore- 1.09137

Page 2 of 13



#### 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

# **Ecological information:**

The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher. Toxicological information:

The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

# **SECTION 3: Composition/information on ingredients**

#### 3.2 Mixtures

Component		Classification	Concentration
sodium hydroxide			
CAS-No. EC-No. Index-No. Registration number	1310-73-2 215-185-5 011-002-00-6 01-2119457892-27- XXXX	Met. Corr. 1; Skin Corr. 1A; Eye Dam. 1; H290, H314, H318 Concentration limits: >= 5 %: Skin Corr. 1A, H314; 2 - < 5 %: Skin Corr. 1B, H314; 0,5 - < 2 %: Skin Irrit. 2, H315; 0,5 - < 2 %: Eye Irrit. 2, H319; >= 0,4 %: Met. Corr. 1, H290;	>= 3 - < 5 %

For the full text of the H-Statements mentioned in this Section, see Section 16.

## **SECTION 4: First aid measures**

#### 4.1 Description of first-aid measures

#### **General advice**

First aiders need to protect themselves.

## If inhaled

After inhalation: fresh air. Call in physician.

#### In case of skin contact

In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/ shower. Call a physician immediately.

## In case of eye contact

After eye contact: rinse out with plenty of water. Immediately call in ophthalmologist. Remove contact lenses.

Millipore- 1.09137 Page 3 of 13

M

#### If swallowed

After swallowing: make victim drink water (two glasses at most), avoid vomiting (risk of perforation). Call a physician immediately. Do not attempt to neutralise.

## 4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

# 4.3 Indication of any immediate medical attention and special treatment needed

No data available

# **SECTION 5: Firefighting measures**

# 5.1 Extinguishing media

#### Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

#### Unsuitable extinguishing media

For this substance/mixture no limitations of extinguishing agents are given.

## 5.2 Special hazards arising from the substance or mixture

Sodium oxides

Not combustible.

Ambient fire may liberate hazardous vapours.

#### 5.3 Advice for firefighters

Stay in danger area only with self-contained breathing apparatus. Prevent skin contact by keeping a safe distance or by wearing suitable protective clothing.

#### 5.4 Further information

Prevent fire extinguishing water from contaminating surface water or the ground water system. Suppress (knock down) gases/vapors/mists with a water spray jet.

#### **SECTION 6: Accidental release measures**

# 6.1 Personal precautions, protective equipment and emergency procedures

Advice for non-emergency personnel: Do not breathe vapors, aerosols. Avoid substance contact. Ensure adequate ventilation. Evacuate the danger area, observe emergency procedures, consult an expert.

For personal protection see section 8.

## 6.2 Environmental precautions

Do not let product enter drains.

#### 6.3 Methods and materials for containment and cleaning up

Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up with liquid-absorbent and neutralising material (e.g. Chemizorb® OH-, Merck Art. No. 101596). Dispose of properly. Clean up affected area.

## 6.4 Reference to other sections

For disposal see section 13.

Millipore- 1.09137 Page 4 of 13

M

## **SECTION 7: Handling and storage**

## 7.1 Precautions for safe handling

#### Advice on safe handling

Observe label precautions.

#### **Hygiene measures**

Immediately change contaminated clothing. Apply preventive skin protection. Wash hands and face after working with substance.

For precautions see section 2.2.

## 7.2 Conditions for safe storage, including any incompatibilities

#### Storage conditions

No aluminium, tin, or zinc containers.

Tightly closed.

Recommended storage temperature see product label.

#### Storage class

Storage class (TRGS 510): 8B: Non-combustible, corrosive hazardous materials

#### 7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

# **SECTION 8: Exposure controls/personal protection**

# 8.1 Control parameters

Ingredients with workplace control parameters

# 8.2 Exposure controls

#### Personal protective equipment

#### **Eye/face protection**

Tightly fitting safety goggles

#### Skin protection

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN 16523-1 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

Full contact

Material: Nitrile rubber

Minimum layer thickness: 0,11 mm Break through time: 480 min

Material tested: KCL 741 Dermatril® L

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN 16523-1 please

Millipore- 1.09137 Page 5 of 13

M

contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell,

Internet: www.kcl.de).

Splash contact

Material: Nitrile rubber

Minimum layer thickness: 0,11 mm Break through time: 480 min

Material tested: KCL 741 Dermatril® L

# **Body Protection** protective clothing

## **Respiratory protection**

Recommended Filter type: Filter type P2

The entrepeneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer. These measures have to be properly documented.

#### Control of environmental exposure

Do not let product enter drains.

# **SECTION 9: Physical and chemical properties**

# 9.1 Information on basic physical and chemical properties

a) Physical state liquidb) Color colorlessc) Odor odorless

d) Melting No data available point/freezing point

e) Initial boiling point No data available and boiling range

f) Flammability (solid, No data available gas)

g) Upper/lower No data available flammability or explosive limits

h) Flash point Not applicablei) Autoignition temperatureNo data available

j) Decomposition temperaturek) pHNo data available ca.13,7 at 20 °C

Viscosity Viscosity, kinematic: No data available

Viscosity, dynamic: No data available

m) Water solubility at 20 °C soluble

Millipore- 1.09137 Page 6 of 13

A

n) Partition coefficient: Not applicable

n-octanol/water

o) Vapor pressure No data available

p) Density 1,04 g/cm3 at 20 °C

Relative density No data available q) Relative vapor No data available

density

r) Particle No data available

characteristics

s) Explosive properties Not classified as explosive.

t) Oxidizing properties none

# 9.2 Other safety information

No data available

# **SECTION 10: Stability and reactivity**

## 10.1 Reactivity

No data available

#### 10.2 Chemical stability

No data available

# 10.3 Possibility of hazardous reactions

Risk of ignition or formation of inflammable gases or vapours with:

Metals

Light metals

Possible formation of:

Hydrogen

Violent reactions possible with:

**Nitriles** 

ammonium compounds

Cyanides

Magnesium

organic nitro compounds

organic combustible substances

phenols

powdered alkaline earth metals

Acids

#### 10.4 Conditions to avoid

no information available

#### 10.5 Incompatible materials

Aluminum, various plastics, Brass, Metals, metal alloys, Zinc, Tin, Light metals, glass, quartzes/silicate ceramics, animal/vegetable tissues

Millipore- 1.09137 Page 7 of 13

# 10.6 Hazardous decomposition products

In the event of fire: see section 5

## **SECTION 11: Toxicological information**

#### 11.1 Information on toxicological effects

#### **Mixture**

#### **Acute toxicity**

Oral: No data available

Symptoms: mucosal irritations, Cough, Shortness of breath, Possible damages:, damage of

respiratory tract

Dermal: No data available **Skin corrosion/irritation**Remarks: Mixture causes burns.

**Necrosis** 

#### Serious eye damage/eye irritation

Remarks: Mixture causes serious eye damage.

Risk of blindness!

Necrosis

## Respiratory or skin sensitization

No data available

## **Germ cell mutagenicity**

No data available

## Carcinogenicity

No data available

## Reproductive toxicity

No data available

# Specific target organ toxicity - single exposure

No data available

## Specific target organ toxicity - repeated exposure

No data available

## **Aspiration hazard**

No data available

#### 11.2 Additional Information

# **Endocrine disrupting properties**

#### **Product:**

Assessment The substance/mixture does not contain

components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Irritation and corrosion

Millipore- 1.09137 Page 8 of 13

A

Cough Shortness of breath collapse death Risk of blindness!

Other dangerous properties can not be excluded.

Handle in accordance with good industrial hygiene and safety practice.

#### Components

#### sodium hydroxide

# **Acute toxicity**

Symptoms: If ingested, severe burns of the mouth and throat, as well as a danger of perforation of the esophagus and the stomach.

Symptoms: burns of mucous membranes, Cough, Shortness of breath, Possible

damages:, damage of respiratory tract

Dermal: No data available

Skin corrosion/irritation

Skin - Rabbit

Result: Causes burns.

Remarks: (Regulation (EC) No 1272/2008, Annex VI)

## Serious eye damage/eye irritation

Eyes - Rabbit

Result: Causes serious eye damage.

(OECD Test Guideline 405)

Remarks: (Regulation (EC) No 1272/2008, Annex VI)

Remarks: Causes serious eye damage.

## Respiratory or skin sensitization

Patch test: - In vitro study

Result: negative Remarks: (ECHA)

# Germ cell mutagenicity

No data available

#### Carcinogenicity

No data available

## Reproductive toxicity

No data available

#### Specific target organ toxicity - single exposure

Acute oral toxicity - If ingested, severe burns of the mouth and throat, as well as a danger of perforation of the esophagus and the stomach.

Acute inhalation toxicity - burns of mucous membranes, Cough, Shortness of breath, Possible damages:, damage of respiratory tract

## Specific target organ toxicity - repeated exposure

No data available

Millipore- 1.09137 Page 9 of 13

A

#### **Aspiration hazard**

No data available

## **SECTION 12: Ecological information**

#### 12.1 Toxicity

#### **Mixture**

No data available

#### 12.2 Persistence and degradability

The methods for determining the biological degradability are not applicable to inorganic substances.

No data available

## 12.3 Bioaccumulative potential

No data available

## 12.4 Mobility in soil

No data available

#### 12.5 Results of PBT and vPvB assessment

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

# 12.6 Endocrine disrupting properties

#### **Product:**

Assessment : The substance/mixture does not contain components

considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

#### 12.7 Other adverse effects

No data available

#### Components

## sodium hydroxide

LC50 - Gambusia affinis (Mosquito fish) - 125 mg/l - 96 h Toxicity to fish

Remarks: (ECOTOX Database)

Toxicity to daphnia and other aquatic invertebrates

EC50 - Ceriodaphnia (water flea) - 40,4 mg/l - 48 h

Remarks: (ECHA)

Toxicity to bacteria

EC50 - Photobacterium phosphoreum - 22 mg/l - 15 min

Remarks: (External MSDS)

Millipore- 1.09137 Page 10 of 13

#### **SECTION 13: Disposal considerations**

#### 13.1 Waste treatment methods

#### **Product**

See www.retrologistik.com for processes regarding the return of chemicals and containers, or contact us there if you have further questions.

## **SECTION 14: Transport information**

14.1 UN number

ADR/RID: 1824 IMDG: 1824 IATA: 1824

14.2 UN proper shipping name

ADR/RID: SODIUM HYDROXIDE SOLUTION IMDG: SODIUM HYDROXIDE SOLUTION IATA: Sodium hydroxide solution

14.3 Transport hazard class(es)

ADR/RID: 8 IMDG: 8 IATA: 8

14.4 Packaging group

ADR/RID: II IMDG: II IATA: II

14.5 Environmental hazards

ADR/RID: no IMDG Marine pollutant: no IATA: no

14.6 Special precautions for user

Tunnel restriction code : (E)

Further information : No data available

## **SECTION 15: Regulatory information**

# 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

This material safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006.

## 15.2 Chemical Safety Assessment

A Chemical Safety Assessment has been carried out for this substance.

# **SECTION 16: Other information**

#### **Full text of H-Statements**

H290 May be corrosive to metals.

H314 Causes severe skin burns and eye damage.

H315 Causes skin irritation.

Millipore- 1.09137 Page 11 of 13

#### Full text of other abbreviations

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM -American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS -Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx -Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. -Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS -Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Classification of the mixture		Classification procedure:	
Met. Corr.1	H290	Based on product data or assessment	
Skin Corr.1B	H314	Calculation method	
Eye Dam.1	H318	Calculation method	

Millipore- 1.09137 Page 12 of 13



#### **Further information**

The information is believed to be correct but is not exhaustive and will be used solely as a guideline, which is based on current knowledge of the chemical substance or mixture and is applicable to appropriate safety precautions for the product. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

Copyright 2020 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only.

The branding on the header and/or footer of this document may temporarily not visually match the product purchased as we transition our branding. However, all of the information in the document regarding the product remains unchanged and matches the product ordered. For further information please contact mlsbranding@sial.com.

Millipore- 1.09137



Page 13 of 13