

Page: 1

Revised edition no: 0

Date: 12/3/2012

Supersedes: 0/0/0

BARIUM CHLORIDE (DIHYDRATED) EXTRA PURE MSDS CAS: 010326-27-9

01679

1. Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Trade name : BARIUM CHLORIDE (DIHYDRATED) EXTRA PURE

Product code : 01679

Identification of the product : BARIUM CHLORIDE(DIHYDRATED) EXTRA PURE 99%

CAS No :10326-27-9

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use : Industrial. For professional use only.

1.3. Details of the supplier of the safety data sheet

Company identification : LOBA CHEMIE PVT.LTD.

107 Wode House Road, Jehangir Villa, Colaba

400005 Mumbai INDIA

Contact: +91 22 6663 6663 / Fax +91 22 6663 6699 / info@lobachemie.com Safety Officer: + 91 98213 31336 / + 91 98214 86040 / safety@lobachemie.com

1.4. Emergency telephone number

Phone nr : + 91 22 6663 (9:00am - 6:00 pm) [Office hours]

2. Hazards identification -DSD

2.1. Classification of the substance or mixture

Classification EC 67/548 or EC 1999/45

Classification : T; R25 Xn; R20

Hazard Class and Category Code(s), Regulation (EC) No 1272/2008 (CLP)

Health hazards : Acute toxicity, Oral - Category 3 - Danger (CLP : Acute Tox. 3) H301

Acute toxicity, Inhalation - Category 4 - Warning (CLP : Acute Tox. 4) H332

2.2. Label elements

Labelling EC 67/548 or EC 1999/45



Page: 2

Revised edition no: 0

Date: 12/3/2012

Supersedes: 0/0/0

BARIUM CHLORIDE (DIHYDRATED) EXTRA PURE MSDS CAS: 010326-27-9

01679

2. Hazards identification -DSD (continued)

Symbol(s)



Symbol(s) : T : Toxic

R Phrase(s) : R20 : Harmful by inhalation. R25 : Toxic if swallowed.

S Phrase(s) : S45 : In case of accident or if you feel unwell, seek medical advice immediately (

show the label when possible).

Labelling Regulation EC 1272/2008 (CLP)

Hazard pictograms



Signal words : Danger

Hazard statements : H301 : Toxic if swallowed. H332 : Harmful if inhaled.

Precautionary statements

• Prevention : P271: Use only outdoors or in a well-ventilated area.

P261: Avoid breathing dust, fume, gas, mist, vapours, spray.

P264: Wash thoroughly after handling.

P270: Do not eat, drink or smoke when using this product.

• Response : P301+P310: IF SWALLOWED : Immediately call a POISON CENTER or doctor.

P304+P340: IF INHALED: Remove to fresh air and keep at rest in a position

comfortable for breathing.

• Storage : P405: Store locked up.

• **Disposal considerations** : P501: Dispose of this material and its container to hazardous or special waste

collection point, in accordance with local, regional, national and/or international

regulation.

2.3. Other hazards

Other hazards : The substance does not fulfil the criteria to be identified as PBT substance or vPvB

substance according to Annex XIII of Regulation REACH.

3. Composition/information on ingredients

Substance / Preparation : BARIUM CHLORIDE(DIHYDRATED) EXTRA PURE 99%

CAS No :10326-27-9

Substance.

Contains no other components or impurities which will influence the classification of the product.



Page: 3

Revised edition no: 0

Date: 12/3/2012

Supersedes: 0/0/0

BARIUM CHLORIDE (DIHYDRATED) EXTRA PURE MSDS CAS: 010326-27-9

01679

4. First aid measures

4.1. Description of first aid measures

Inhalation : Assure fresh air breathing. Allow the victim to rest. Call a POISON CENTER or

doctor if you feel unwell. Remove to fresh air and keep at rest in a position

comfortable for breathing.

Skin contact : Remove affected clothing and wash all exposed skin area with mild soap and

water, followed by warm water rinse.

Eye contact : Rinse immediately with plenty of water. Obtain medical attention if pain, blinking or

redness persist.

Ingestion : Rinse mouth. Do NOT induce vomiting. Specific treatment (see on this label).

Immediately call a POISON CENTER or doctor.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms relating to use : Swallowing a small quantity of this material will result in serious health hazard.

Danger of serious damage to health by prolonged exposure through inhalation.

4.3. Indication of any immediate medical attention and special treatment needed

General information : Never give anything by mouth to an unconscious person. If you feel unwell, seek

medical advice (show the label where possible).

5. Fire-fighting measures

5.1. Extinguishing media

Suitable extinguishing media : Foam. Dry powder. Carbon dioxide. Water spray. Sand.

Unsuitable extinguishing media : Do not use a heavy water stream.

Surrounding fires : Use water spray or fog for cooling exposed containers.

5.2. Special hazards arising from the substance or mixture

Hazardous combustion products : Under fire conditions, hazardous fumes will be present.

5.3. Advice for fire-fighters

Protection against fire : Do not enter fire area without proper protective equipment, including respiratory

protection.

Special procedures : Exercise caution when fighting any chemical fire. Avoid (reject) fire-fighting water to

enter environment.



Page: 4

Revised edition no: 0

Date: 12/3/2012

Supersedes: 0/0/0

BARIUM CHLORIDE (DIHYDRATED) EXTRA PURE MSDS CAS: 010326-27-9

01679

6. Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

For emergency responders : Equip cleanup crew with proper protection.

Ventilate area.

For non-emergency personnel : Evacuate unnecessary personnel.

6.2. Environmental precautions

Environmental precautions : Prevent entry to sewers and public waters. Notify authorities if product enters

sewers or public waters.

6.3. Methods and material for containment and cleaning up

Clean up methods : On land, sweep or shovel into suitable containers. Minimize generation of dust.

Store away from other materials.

6.4. Reference to other sections

See section 8. Exposure controls/personal protection

7. Handling and storage

7.1. Precautions for safe handling

Handling : Do not eat, drink or smoke when using this product. Wash thoroughly after

handling. Use only outdoors or in a well-ventilated area. Avoid breathing dust,

fume, gas, mist, vapours, spray.

Technical protective measures : Provide good ventilation in process area to prevent formation of vapour.

7.2. Conditions for safe storage, including any incompatibilities

Storage : Keep only in the original container in a cool, well ventilated place. Keep container

closed when not in use.

Storage - away from : Strong bases. Strong acids. Sources of ignition. Direct sunlight.

7.3. Specific end use(s)

Specific end use(s) : None.

8. Exposure controls/personal protection

8.1. Exposure controls



Page : 5

Revised edition no : 0

Date : 12 / 3 / 2012

Supersedes: 0 / 0 / 0

BARIUM CHLORIDE (DIHYDRATED) EXTRA PURE MSDS CAS: 010326-27-9

01679

8. Exposure controls/personal protection (continued)

Personal protection : Avoid all unnecessary exposure.

• Respiratory protection : In case of insufficient ventilation, wear suitable respiratory equipment.

• Hand protection : Wear protective gloves.

Eye protection
 Chemical goggles or safety glasses.
 Others
 When using, do not eat, drink or smoke.

8.2. Control parameters

Occupational Exposure Limits : No data available.

9. Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state at 20 °C : Solid.

Colour : White powder Odour : Odorless

Odour threshold: No data available.pH value: Not applicable.

Melting point [°C] : 9630C Decomposition point [°C] : N/A Critical temperature [°C] : N/A : N/A Auto-ignition temperature [°C] Flammability (solid, gas) : N/A Flash point [°C] : N/A : 15600C Boiling point [°C] Initial boiling point [°C] : N/A : N/A Final boiling point [°C] : N/A **Evaporation rate** Vapour pressure [20°C] : N/A Vapour pressure mm/Hg : N/A Vapour density : N/A Density [g/cm3] : 3.86 : N/A Relative density, gas (air=1)

Solubility in water [% weight] : 31 g/100 g water @ 0

: N/A

Solubility in water : N/A

Relative density, liquid (water=1)

Log Pow octanol / water at 20°C : No data available.

Solubility : 5 - 8 at 50 g/l at 2



Page : 6

Revised edition no: 0

Date: 12/3/2012

Supersedes: 0/0/0

BARIUM CHLORIDE (DIHYDRATED) EXTRA PURE MSDS CAS: 010326-27-9

01679

9. Physical and chemical properties (continued)

Viscosity at 40°C [mm2/s] : N/A

9.2. Other information

Explosive properties : N/A
Explosion limits - upper [%] : N/A
Explosion limits - lower [%] : N/A

Oxidising properties : No data available.

10. Stability and reactivity

10.1. Reactivity

Reactivity : Not established.

10.2. Chemical stability

Chemical stability : Stable under recommended storage conditions.

10.3. Possibility of hazardous reactions

Hazardous reactions : Not established.

10.4. Conditions to avoid

Conditions to avoid : Direct sunlight. Extremely high or low temperatures.

10.5. Incompatible materials

Materials to avoid : Strong acids. Strong bases.

10.6. Hazardous decomposition products

Hazardous decomposition products: Fumes. Carbon monoxide. Carbon dioxide.

11. Toxicological information

11.1. Information on toxicological effects

Acute toxicity

• Inhalation : Harmful if inhaled.

• **Dermal** : Based on available data, the classification criteria are not met.

• Ingestion : Toxic if swallowed.



Page: 7
Revised edition no: 0

Date: 12/3/2012 Supersedes: 0/0/0

BARIUM CHLORIDE (DIHYDRATED) EXTRA PURE MSDS CAS: 010326-27-9

01679

11. Toxicological information (continued)

Corrosion : Based on available data, the classification criteria are not met. Irritation : Based on available data, the classification criteria are not met. : Based on available data, the classification criteria are not met. Sensitization Mutagenicity : Based on available data, the classification criteria are not met. Carcinogenicity : Based on available data, the classification criteria are not met. : Based on available data, the classification criteria are not met. Toxic for reproduction **STOT-single exposure** : Based on available data, the classification criteria are not met. STOT-repeated exposure : Based on available data, the classification criteria are not met. Aspiration hazard : Based on available data, the classification criteria are not met.

12. Ecological information

12.1. Toxicity

Toxicity information : Not established.

12.2. Persistence - degradability

Persistence - degradability : Biodegradable.

12.3. Bioaccumulative potential

Bioaccumulative potential : Not established.

12.4. Mobility in soil

Mobility in soil : Not established.

12.5. Results of PBT and vPvB assessment

Results of PBT and vPvB assessment: The substance does not fulfil the criteria to be identified as PBT substance or vPvB

substance according to Annex XIII of Regulation REACH.

12.6. Other adverse effects

Environmental precautions : Avoid release to the environment.

13. Disposal considerations

13.1. Waste treatment methods

General : Avoid release to the environment. Dispose in a safe manner in accordance with

local/national regulations.

Dispose of this material and its container to hazardous or special waste collection



Page : 8

Revised edition no : 0

Date: 12/3/2012 Supersedes: 0/0/0

BARIUM CHLORIDE (DIHYDRATED) EXTRA PURE MSDS CAS: 010326-27-9

01679

13. Disposal considerations (continued)

point, in accordance with local, regional, national and/or international regulation.

Special precautions : Hazardous waste due to toxicity.

14. Transport information

14.1. Land transport (ADR-RID)

Proper shipping name : BARIUM COMPOUND, N.O.S.

UN N° : 1564 H.I. nr : 60 ADR - Class : 6.1

Labelling - Transport : 6.1 : Toxic substances.



ADR - Classification code : T5

T5

ADR - Group : III

ADR - Packing instructions : P002 R001 LP002

ADR - Limited Quantity : 5 KG

ADR - Tunnel code



: E : Passage forbidden through tunnels of category E.

14.2. Sea transport (IMDG) [English only]

Proper shipping name : BARIUM COMPOUND, N.O.S.

UN N° : 1564

IMO-IMDG - Class or division : 6.1 : Toxic substances.

IMO-IMDG - Packing group : III

IMO- IMDG - Packing instructions : P002 LP02

IMO-IMDG - Limited quantities : 5 kg
IMO-IMDG - Marine pollution : No
EMS-Nr : F-A S-A

14.3. Air transport (ICAO-IATA) [English only]



Page: 9

Revised edition no: 0 Date: 12/3/2012

Supersedes: 0/0/0

BARIUM CHLORIDE (DIHYDRATED) EXTRA PURE MSDS CAS: 010326-27-9

01679

14. Transport information (continued)

: BARIUM COMPOUND, N.O.S. Proper shipping name

UN N° : 1564

IATA - Class or division : 6.1 : Toxic substances.

IATA - Packing group : 111

IATA - Passenger and Cargo Aircraft : ALLOWED

- Passenger and Cargo - Packing : 670

instruction

- Passenger and Cargo - Maximum : 100 kg

Quantity/Packing

IATA - Cargo only : ALLOWED

- Cargo only - Packing instruction : 677 - Cargo only - Maximum Quantity/

: 10 kg **IATA - Limited Quantites** : 6L **ERG-Nr**

15. Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

: Ensure all national/local regulations are observed. Safety, health and environmental regulations/legislation specific for the

substance or mixture

: The components of this product are not subject to restrictions. **REACH Restrictions - Annex XVII REACH Authorisation - Annex XIV** : The components of this product are not subject to authorization.

15.2. Chemical Safety Assessment

Chemical Safety Assessment : It has not been carried out.

16. Other information

: Revision - See : * Revision

Abbreviations and acronyms : PBT: persistent, bioaccumulative and toxic.

vPvB: very persistent and very bioaccumulative

: REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF Sources of key data used

THE COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and

1999/45/EC, and amending Regulation (EC) No 1907/2006

Further information : None.

In accordance with REACH Regulation (CE) No 1907/2006 and with CLP Regulation (CE) No 1272/2008

DISCLAIMER OF LIABILITY The information in this SDS was obtained from sources which we believe are reliable. However, the



Page: 10

Revised edition no: 0

Date: 12/3/2012

Supersedes: 0/0/0

BARIUM CHLORIDE (DIHYDRATED) EXTRA PURE MSDS CAS: 010326-27-9

01679

information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This MSDS was prepared and is to be used only for this product. If the product is used as a component in another product, this MSDS information may not be applicable.

End of document