

Page : 1

Revised edition no : 0

Date : 21 / 6 / 2012

Supersedes: 0/0/0

ETHYLENE DIAMINE TETRA ACETIC ACID AR/ACS FOR MSDS CAS: 000060-00-4

03728

1. Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Trade name : ETHYLENE DIAMINE TETRA ACETIC ACID AR/ACS FOR COMPLEXOMETRY

Product code : 03728

Identification of the product : Edetic acid (EDTA)

CAS No :60-00-4 EC No :200-449-4 Annex No :607-429-00-8

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use : Industrial. For professional use only.

1.3. Details of the supplier of the safety data sheet

Company identification : LOBA CHEMIE PVT.LTD.

107 Wode House Road, Jehangir Villa, Colaba

400005 Mumbai INDIA

Contact: +91 22 6663 6663 / Fax +91 22 6663 6699 / info@lobachemie.com Safety Officer: + 91 98213 31336 / + 91 98214 86040 / safety@lobachemie.com

1.4. Emergency telephone number

Phone nr : + 91 22 6663 6663 (9:00am - 6:00 pm) [Office hours]

2. Hazards identification -DSD

2.1. Classification of the substance or mixture

Classification EC 67/548 or EC 1999/45

Classification : Xi; R36 R52

Hazard Class and Category Code(s), Regulation (EC) No 1272/2008 (CLP)

Health hazards : Eye irritation - Category 2A - Warning (CLP : Eye Irrit. 2) H319

Environmental hazards : Hazardous to the aquatic environment - Chronic hazard - Category 4 (CLP:

Aquatic Chronic 4) H413

2.2. Label elements

Labelling EC 67/548 or EC 1999/45



Page : 2

Revised edition no : 0

Date : 21 / 6 / 2012

Supersedes: 0 / 0 / 0

ETHYLENE DIAMINE TETRA ACETIC ACID AR/ACS FOR MSDS CAS: 000060-00-4

03728

2. Hazards identification -DSD (continued)

Symbol(s)



Symbol(s) : Xn : Harmful

R Phrase(s) : R36 : Irritating to eyes.

R52 : Harmful to aquatic organisms.

R53: May cause long-term adverse effects in the aquatic environment.

S Phrase(s) : S61 : Avoid release to the environment. Refer to special instructions/Safety data

sheets.

Labelling Regulation EC 1272/2008 (CLP)

Hazard pictograms



Signal words : Warning

Hazard statements : H319 : Causes serious eye irritation.

H413: May cause long lasting harmful effects to aquatic life.

Precautionary statements

• **Prevention** : P280: Wear protective gloves, protective clothing, eye protection, face protection.

P273: Avoid release to the environment. P264: Wash thoroughly after handling.

• Response : P305+P351+P338: IF IN EYES : Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue rinsing. P337+P313: If eye irritation persists: Get medical advice/attention.

• **Disposal considerations** : P501: Dispose of this material and its container to hazardous or special waste

collection point, in accordance with local, regional, national and/or international

regulation.

2.3. Other hazards

Other hazards : The substance does not fulfil the criteria to be identified as PBT substance or vPvB

substance according to Annex XIII of Regulation REACH.

3. Composition/information on ingredients

Substance / Preparation : Edetic acid (EDTA)

CAS No :60-00-4 EC No :200-449-4 Annex No :607-429-00-8

Substance.

Contains no other components or impurities which will influence the classification of the product.



Page : 3

Revised edition no : 0

Date : 21 / 6 / 2012

Supersedes: 0 / 0 / 0

ETHYLENE DIAMINE TETRA ACETIC ACID AR/ACS FOR MSDS CAS: 000060-00-4

03728

4. First aid measures

4.1. Description of first aid measures

Inhalation : Assure fresh air breathing. Allow the victim to rest.

Skin contact : Remove affected clothing and wash all exposed skin area with mild soap and

water, followed by warm water rinse.

Eye contact : Get medical advice. If eye irritation persists : Remove contact lenses, if present and

easy to do. Continue rinsing. Rinse cautiously with water for several minutes.

Ingestion : Obtain emergency medical attention. Rinse mouth. Do NOT induce vomiting.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms relating to use : Causes serious eye irritation.

4.3. Indication of any immediate medical attention and special treatment needed

General information : Never give anything by mouth to an unconscious person. If you feel unwell, seek

medical advice (show the label where possible).

5. Fire-fighting measures

5.1. Extinguishing media

Suitable extinguishing media : Foam. Dry powder. Carbon dioxide. Water spray. Sand.

Unsuitable extinguishing media : Do not use a heavy water stream.

Surrounding fires : Use water spray or fog for cooling exposed containers.

5.2. Special hazards arising from the substance or mixture

Hazardous combustion products : Under fire conditions, hazardous fumes will be present.

5.3. Advice for fire-fighters

Protection against fire : Do not enter fire area without proper protective equipment, including respiratory

protection.

Special procedures : Exercise caution when fighting any chemical fire. Avoid (reject) fire-fighting water to

enter environment.

6. Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

For emergency responders : Equip cleanup crew with proper protection.

Ventilate area.



Page : 4

Revised edition no : 0

Date : 21 / 6 / 2012

Supersedes: 0/0/0

ETHYLENE DIAMINE TETRA ACETIC ACID AR/ACS FOR MSDS CAS: 000060-00-4

03728

6. Accidental release measures (continued)

For non-emergency personnel : Evacuate unnecessary personnel.

6.2. Environmental precautions

Environmental precautions : Prevent entry to sewers and public waters. Notify authorities if product enters

sewers or public waters.

Avoid release to the environment.

6.3. Methods and material for containment and cleaning up

Clean up methods : Soak up spills with inert solids, such as clay or diatomaceous earth as soon as

possible. Store away from other materials. Collect spillage.

6.4. Reference to other sections

See section 8. Exposure controls/personal protection

7. Handling and storage

7.1. Precautions for safe handling

Handling : Wash thoroughly after handling.

Technical protective measures : Provide good ventilation in process area to prevent formation of vapour.

7.2. Conditions for safe storage, including any incompatibilities

Storage : Keep only in the original container in a cool, well ventilated place. Keep container

closed when not in use.

Storage - away from : Strong bases. Strong acids. Sources of ignition. Direct sunlight.

7.3. Specific end use(s)

Specific end use(s) : None.

8. Exposure controls/personal protection

8.1. Exposure controls

Personal protection : Avoid all unnecessary exposure.

Respiratory protection
 Hand protection
 Wear approved mask.
 Wear protective gloves.

Eye protection
 Others
 Chemical goggles or safety glasses.
 When using, do not eat, drink or smoke.



Page: 5

Revised edition no : 0

Date : 21 / 6 / 2012

Supersedes: 0 / 0 / 0

ETHYLENE DIAMINE TETRA ACETIC ACID AR/ACS FOR MSDS CAS: 000060-00-4

03728

8. Exposure controls/personal protection (continued)

8.2. Control parameters

Occupational Exposure Limits : No data available.

9. Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state at 20 °C : Solid.

Colour : White crystalline

Odour : Odorless

Odour threshold : No data available. pH value : No data available.

: 250 °C Melting point [°C] : 240 °C Decomposition point [°C] : N/A Critical temperature [°C] : N/A Auto-ignition temperature [°C] : N/A Flammability (solid, gas) Flash point [°C] : N/A Boiling point [°C] : N/A Initial boiling point [°C] : N/A Final boiling point [°C] : N/A **Evaporation rate** : N/A Vapour pressure [20°C] : N/A : N/A Vapour pressure mm/Hg : N/A Vapour density

Density [g/cm3] : 0.860 g/cm3 at 20 °C

Relative density, gas (air=1) : N/A Relative density, liquid (water=1) : N/A

Solubility in water [% weight] : Slightly soluble in

Solubility in water : N/A

Log Pow octanol / water at 20°C : No data available. Solubility : 2.5 at 10 g/l at 23

Viscosity at 40°C [mm2/s] : N/A

9.2. Other information

Explosive properties : N/A Explosion limits - upper [%] : N/A



Page: 6

Revised edition no : 0

Date : 21 / 6 / 2012

Supersedes: 0 / 0 / 0

ETHYLENE DIAMINE TETRA ACETIC ACID AR/ACS FOR MSDS CAS: 000060-00-4

03728

9. Physical and chemical properties (continued)

Explosion limits - lower [%] : N/A

Oxidising properties : No data available.

10. Stability and reactivity

10.1. Reactivity

Reactivity : Not established.

10.2. Chemical stability

Chemical stability : Stable under recommended storage conditions.

10.3. Possibility of hazardous reactions

Hazardous reactions : Not established.

10.4. Conditions to avoid

Conditions to avoid : Direct sunlight. Extremely high or low temperatures.

10.5. Incompatible materials

Materials to avoid : Strong acids. Strong bases.

10.6. Hazardous decomposition products

Hazardous decomposition products : Fumes. Carbon monoxide. Carbon dioxide.

11. Toxicological information

11.1. Information on toxicological effects

Acute toxicity

Inhalation
 Based on available data, the classification criteria are not met.
 Based on available data, the classification criteria are not met.
 Ingestion
 Based on available data, the classification criteria are not met.
 Corrosion
 Based on available data, the classification criteria are not met.

Irritation : Causes serious eye irritation.

Sensitization: Based on available data, the classification criteria are not met.Mutagenicity: Based on available data, the classification criteria are not met.Carcinogenicity: Based on available data, the classification criteria are not met.



Page: 7

Revised edition no : 0

Date : 21 / 6 / 2012

Supersedes: 0 / 0 / 0

ETHYLENE DIAMINE TETRA ACETIC ACID AR/ACS FOR MSDS CAS: 000060-00-4

03728

11. Toxicological information (continued)

Toxic for reproduction : Based on available data, the classification criteria are not met.

STOT-single exposure : Based on available data, the classification criteria are not met.

STOT-repeated exposure : Based on available data, the classification criteria are not met.

Aspiration hazard : Based on available data, the classification criteria are not met.

12. Ecological information

12.1. Toxicity

Toxicity information : May cause long lasting harmful effects to aquatic life.

12.2. Persistence - degradability

Persistence - degradability : May cause long-term adverse effects in the environment.

12.3. Bioaccumulative potential

Bioaccumulative potential : Not established.

12.4. Mobility in soil

Mobility in soil : Not established.

12.5. Results of PBT and vPvB assessment

Results of PBT and vPvB assessment: The substance does not fulfil the criteria to be identified as PBT substance or vPvB

substance according to Annex XIII of Regulation REACH.

12.6. Other adverse effects

Environmental precautions : Avoid release to the environment.

13. Disposal considerations

13.1. Waste treatment methods

General : Avoid release to the environment. Dispose in a safe manner in accordance with

local/national regulations.

Dispose of this material and its container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.



Page:8

Revised edition no : 0

Date : 21 / 6 / 2012

Supersedes: 0 / 0 / 0

ETHYLENE DIAMINE TETRA ACETIC ACID AR/ACS FOR MSDS CAS: 000060-00-4

03728

14. Transport information

14.1. Land transport (ADR-RID)

General information : Not regulated.

14.2. Sea transport (IMDG) [English only]

General information : Not regulated.

14.3. Air transport (ICAO-IATA) [English only]

General information : Not regulated.

15. Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Safety, health and environmental

regulations/legislation specific for the

: Ensure all national/local regulations are observed.

substance or mixture

REACH Restrictions - Annex XVII : The components of this product are not subject to restrictions.

REACH Authorisation - Annex XIV : The components of this product are not subject to authorization.

15.2. Chemical Safety Assessment

Chemical Safety Assessment : It has not been carried out.

16. Other information

Revision : Revision - See : *

Abbreviations and acronyms : PBT: persistent, bioaccumulative and toxic.

vPvB: very persistent and very bioaccumulative

Sources of key data used : REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF

THE COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and

1999/45/EC, and amending Regulation (EC) No 1907/2006

Further information : None.

In accordance with REACH Regulation (CE) N° 1907/2006 and with CLP Regulation (CE) N° 1272/2008

DISCLAIMER OF LIABILITY The information in this SDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This MSDS was prepared and is to be used only for this product. If the product is used as a component in another product, this MSDS information may not be applicable.



Page: 9

Revised edition no: 0

Date: 21 / 6 / 2012

Supersedes: 0 / 0 / 0

ETHYLENE DIAMINE TETRA ACETIC ACID AR/ACS FOR MSDS CAS: 000060-00-4

03728

End of document